

HCFC, R-22, Mid Point, 60 Hz, 1 - Phase, 115 V

High Temperature

Production Status: Available for sale to all U.S. customers. Please check with your local Emerson Climate Technologies Representative for international availability.

Electrical Components

Stator					
Resistance:	+/-7%	Start Wdg:	5.68	Run Wdg:	0.573

Stator					
Resistance:	+/-7%	Start Wdg:	5.57	Run Wdg:	0.54

External Protector					
Part No.	071-0127-43				
Usage Description:					
<u>Vendor Name</u>	T I				

External Protector					
Part No.	071-0518-03				
Usage Description:	SPECIAL CUST. APPL.				
<u>Vendor Name</u>	T I				

Capacitor					
Part No.	014-0061-20	Low MFD:	72.0		
Type:	Start	High MFD:	86.0		
Usage Description:	HIGH TORQUE	Volts:	330		

Capacitor					
Part No.	014-0061-16	Low MFD:	43.0		
Type:	Start	High MFD:	52.0		
Usage Description:	LOW TORQUE	Volts:	330		

Capacitor					
Part No.	014-0064-12	Low MFD:	30.0		
Type:	Run	High MFD:	0.0		
Usage Description:		Volts:	440		

Potential Relays					
Part No.	040-0140-03	Usage Description:			

RS64C2-PAA



HCFC, R-22, Mid Point, 60 Hz, 1 - Phase, 115 V

High Temperature

Production Status: Available for sale to all U.S. customers. Please check with your local Emerson Climate Technologies Representative for international availability.

Electrical Components

Potential Relays

Part No.

040-0166-02

Usage Description: